



TOUGHPAD FZ-A2

- MIL-STD-810G, 5' Drop and IP65 Dust and Water-resistant Design
- User-replaceable Battery, Bridge Battery Standard
- Standard USB 3.0, USB 3.1 Type-C and HDMI output
- Optional Additional USB 2.0, Barcode Reader, SmartCard and Dual Pass Through Antenna¹
- Wi-Fi with GPS, Bluetooth[®] and Optional 4G LTE Mobile Broadband with Satellite GPS
- 3-year Warranty with Business Class Support

5-FOOT
DROP RATING

IP65

MIL-STD-
810G

THE MOST POWERFUL FULLY RUGGED 10.1" HIGH PERFORMANCE INTEL[®]-BASED ANDROID[™] TABLET BUILT FOR ENTERPRISE.

The Panasonic Toughpad[®] FZ-A2 is a rugged 10.1" tablet powered by Android[™] for field-based workforces. With durability, power and a range of configurable options—at a price within reach of any business—the Toughpad FZ-A2 tablet is an ideal tool for service professionals. Offering enterprise-grade features including a quick-charging, user-replaceable full-shift battery, the thin and lightweight Toughpad FZ-A2 is a fully rugged tablet built for durability with a sunlight viewable display for use outdoors.

TOUGHPAD FZ-A2

SOFTWARE	<ul style="list-style-type: none"> Android 6.0.1 (Marshmallow)² Panasonic Utilities (including Dashboard)
DURABILITY	<ul style="list-style-type: none"> MIL-STD-810G design (5' drop, shock, vibration, rain, dust, sand, altitude, freeze/thaw, high/low temperature, temperature shock, humidity, explosive atmosphere)* IP65 certified sealed all-weather fanless design Magnesium alloy chassis encased with ABS corner guards Hand strap or optional rotating hand strap Port covers Pre-installed replaceable screen film for LCD protection
CPU	<ul style="list-style-type: none"> Intel® Atom™ x5-Z8550 Processor (1.44 GHz up to 2.4 GHz) – 2MB cache
STORAGE & MEMORY	<ul style="list-style-type: none"> 4GB SDRAM³ 32GB eMMC⁴ Up to 32GB total storage available with optional microSDHC card⁵
DISPLAY	<ul style="list-style-type: none"> 10.1" WUXGA 1920x1200 LED backlighting 10 finger multi touch (2 finger in rain sensing mode) daylight-readable screen – 800 nit <ul style="list-style-type: none"> Display with direct bonding Anti-reflective screen treatment Automatic screen rotation
SENSORS	<ul style="list-style-type: none"> Ambient light Digital compass Gyro Acceleration
AUDIO	<ul style="list-style-type: none"> Integrated dual microphone Integrated monaural speaker On-screen and button volume controls
KEYBOARD & INPUT	<ul style="list-style-type: none"> 10-point multi touch (2 point in water sensing mode) <ul style="list-style-type: none"> Supports gloved touch and gestures 6 tablet buttons (3 user-definable) Passive stylus pen with integrated holder on the right edge of the tablet On-screen QWERTY keyboard
CAMERAS	<ul style="list-style-type: none"> 2MP front camera 8MP rear camera with auto focus and LED light
EXPANSION	<ul style="list-style-type: none"> MicroSDHC
INTERFACE	<ul style="list-style-type: none"> Docking connector 25-pin Headphones/speaker Mini-jack stereo USB 3.0⁶ x1, [optional USB 2.0] and stand-alone USB 3.1 Type-C¹⁴ Optional SIM card slot (x1) Standard full size HDMI output
WIRELESS	<ul style="list-style-type: none"> Optional integrated 4G LTE mobile broadband with satellite GPS⁷ Intel® Dual Band Wireless AC8260 Wi-Fi 802.11a/b/g/n/ac Bluetooth® v4.2 (Class 1) + EDR Security <ul style="list-style-type: none"> Authentication: LEAP, WPA, 802.1x, EAP-TLS, EAP-FAST, PEAP Encryption: CKIP, TKIP, 128-bit and 64-bit WEP, Hardware AES Optional dual high-gain antenna pass-through
POWER SUPPLY	<ul style="list-style-type: none"> Li-Ion battery pack: 11.4V, typical 2720mAh, minimum 2600mAh Battery operation: 9 hours⁸ <ul style="list-style-type: none"> Bridge battery: Approx. 60 seconds Battery charging time:⁹ <ul style="list-style-type: none"> Standard battery: 2.5 hours off, 2.5 hours on
POWER MANAGEMENT	<ul style="list-style-type: none"> Suspend/Resume function, standby
SECURITY FEATURES	<ul style="list-style-type: none"> Kensington cable lock slot Optional insertable SmartCard reader Security suite: encryption, screen lock, verification boot, secure boot Mobile device management supported by industry leading providers
WARRANTY	<ul style="list-style-type: none"> 3-year limited warranty, parts and labor
DIMENSIONS & WEIGHT	<ul style="list-style-type: none"> 10.71" (L) x 7.72" (W) x 0.65" (H)¹⁰ 1.94 lbs¹¹
INTEGRATED OPTIONS¹²	<ul style="list-style-type: none"> 4G LTE mobile broadband with satellite GPS or Wi-Fi with stand-alone GPS available in all configurations Dual high-gain antenna pass-through for WWAN and GPS optional Configuration area #1 (Choose one) <ul style="list-style-type: none"> 1D/2D barcode reader [N6603]¹ Secondary USB A 2.0¹⁴ Configuration area #2 <ul style="list-style-type: none"> SmartCard reader

ACCESSORIES¹²

<ul style="list-style-type: none"> AC Adapter (3-prong)¹³ Standard battery 4-Bay Battery Charger 	<ul style="list-style-type: none"> CF-AA6413CM with AC cord CF-VZSU00W CF-VCB201M includes CF-AA5713A [110W] power supply and AC cord CF-VEBA21
<ul style="list-style-type: none"> 1-bay desktop cradle 	
<ul style="list-style-type: none"> Slim vehicle dock (dual pass) for FZ-A2 and CF-20 tablet only. Not compatible with hand strap or any integrated option that is not flush. Keyed alike. 	CF-CDSA2VM01
<ul style="list-style-type: none"> Slim vehicle dock (no pass) for FZ-A2 and CF-20 tablet only. Not compatible with hand strap or any integrated option that is not flush. Keyed alike. 	CF-CDSA2VM03
<ul style="list-style-type: none"> Slim vehicle cradle (no electronics) for FZ-A2 and CF-20 tablet only. Not compatible with hand strap or any integrated option that is not flush. Keyed alike. 	CF-CDSA2VM05
<ul style="list-style-type: none"> Extended vehicle dock (dual pass) for FZ-A2 and CF-20 tablet only. Compatible with hand strap and any integrated option. Keyed alike. 	CF-CDSA2VM07
<ul style="list-style-type: none"> Extended vehicle dock (no pass) for FZ-A2 and CF-20 tablet only. Compatible with hand strap and any integrated option. Keyed alike. 	CF-CDSA2VM09
<ul style="list-style-type: none"> Extended vehicle cradle (no electronics) for FZ-A2 and CF-20 tablet only. Compatible with hand strap and any integrated option. Keyed alike. 	CF-CDSA2VM11
<ul style="list-style-type: none"> LIND DC/DC Car Charger 80W 12-32 Volt input 	CF-LNDDC80
<ul style="list-style-type: none"> LIND AC/DC/DC with USB Car/Air Charger 90W 12-16 Volt or AC input 	CF-LNDACDC90
<ul style="list-style-type: none"> LIND DC/DC Mil-Spec Charger 90W 12-32 Volt input 	CF-LNDMLDC90
<ul style="list-style-type: none"> LIND DC/DC Isolated Forklift Charger 20-60 VDC input 	CF-LNDDC80I
<ul style="list-style-type: none"> Toughmate FZ-A2 Mobility Bundle 	TBC20MBBDD-L
<ul style="list-style-type: none"> Toughmate FZ-A2 Always-On Case 	TBC2AONL-P
<ul style="list-style-type: none"> Toughmate FZ-A2 Enhanced Rotating Hand Strap 	TBC20HDSTP-P
<ul style="list-style-type: none"> Rotating Hand Strap 	CF-VST0211U
<ul style="list-style-type: none"> Multi Touch IP55 Stylus 	CF-VNP022U
<ul style="list-style-type: none"> Tether 	CF-VNT002U
<ul style="list-style-type: none"> 10.1" LCD Protector Film 	CF-VPF31U

Please consult your reseller or Panasonic representative before purchasing.

* Caution: Do not expose the skin to this product when using the product in a hot or cold environment. When using in hot or cold environment, some peripherals may fail to work properly. Check the operation environment of the peripherals. When using in low temperature environment, startup may become slow or battery operation time may become short. The computer consumes power when warming up during startup. Therefore, if you are using battery power and the remaining power is low, the computer may not start up.

¹ Exclusively configurable by selecting one from Barcode reader or Secondary USB A 2.0.

² Operations of this computer are not guaranteed except for the pre-installed OS.

³ 1MB = 1,048,576 bytes/1GB = 1,073,741,824 bytes

⁴ 1MB = 1,000,000 bytes / 1GB = 1,000,000,000 bytes. Your operating system or some application software will report as fewer GB.

⁵ Operation has been tested and confirmed using Panasonic microSD Memory Card with a capacity of up to 2 GB and Panasonic microSDHC Memory Card with a capacity of up to 32 GB.

⁶ Does not guarantee operation of all USB-compatible peripherals.

⁷ Only for model with Wireless WAN. The specifications may differ depending on the models.

⁸ Approx. 0.5 W when the battery pack is fully charged (or not being charged) and the computer is Off. Even when the AC adaptor is not connected to the computer, power is consumed (Max. 0.3 W) simply by having the AC adaptor plugged into an AC outlet.

⁹ Varies depending on the usage conditions.

¹⁰ May differ depending on models and options.

¹¹ Average value. May differ depending on models and options.

¹² Accessories and Integrated Options may vary depending on your configuration. Visit Panasonic website for more.

DuraTech USA Inc.
GSA Schedule 70 GS35F115BA & GSA Schedule 70 GS-35F-0143R
CMAS # 3-15-70-3195A & CMAS # 3-15-70-3195B
Certified 8(a), SDB, DBE, SBE, CUCP, MBE & WBE
Offering Service with Pride & Integrity

Phone: (714) 898-2171 Fax: 866-704-9132
 Email: sales@DuraTechUSA.com www.DuraTechUSA.com

